

**HONDURAS:  
THE LODGE AT PICO BONITO  
MARCH 17–24, 2018**

**LEADER: ERIK BRUHNKE  
LIST COMPILED BY: ERIK BRUHNKE**

**VICTOR EMANUEL NATURE TOURS, INC.  
2525 WALLINGWOOD DRIVE, SUITE 1003  
AUSTIN, TEXAS 78746  
[WWW.VENTBIRD.COM](http://WWW.VENTBIRD.COM)**

Every day of our Honduras Pico Bonito tour was a unique birding adventure from the moment we arrived until the end of the last afternoon. The staff at Pico Bonito welcomed us with open arms and fruitful drinks. In addition to delectable dining experiences every day, our top-notch local guide, Olbin Benjarano, took extraordinarily good care of us. The entire visit to Honduras was above and beyond, and it all started with our first footsteps at the lodge entrance.



*Pico Bonito*

Our first day of birding was a local one. The Lodge at Pico Bonito offers truly outstanding birding opportunities right on site. After a deliciously hearty breakfast complemented by the ambience of chattering Social Flycatchers and many tropical hummingbirds feeding about, we headed to the vast wooded trails moments away.

A colorful whirlwind of butterflies were feeding throughout the flowers as birds vocalized high and low among the canopies. A pair of gorgeous Lesson's Motmots barked nearby as Collared Araçaris flew high overhead in search of fruit. The view from the nearby Toucan Tower left us in awe, and we had only

been birding for half an hour. Standing atop the tower, dense trees surrounded us to the west; below us was the rushing Rio Coloradito; and to the east and south were the vast wooded mountains of Pico Bonito. A Keel-billed Toucan fed nearby as Spot-breasted Wrens sang cheerfully below us. A lone Brown-hooded Parrot flew by, showing off its cherry-red underwings. Before lunch we explored additional trails. Clay-colored Thrushes, the national bird of Costa Rica, fed on the forest floor. After lunch a raucous group of Brown Jays flew through the lower canopy, and with a little persistence we were treated to wonderful views of a male Lovely Cotinga, as well as a Great Potoo. A little siesta in the afternoon was followed by a hike through the woods, where we experienced the presence of two Vermiculated Screech-Owls. What a day, and what a start to this birding adventure!

On the second day of the tour we headed towards Rio Santiago Nature Resort. Even before arriving at the resort itself, numerous birding spots were visited. Small patches of cleared forests created habitat for birds of the forest edges. A pair of Masked Tityras checked out an old cavity carved into a tall snag. Saltators of both the Black-headed and Buff-throated varieties flew among the islands of bushes. White-collared Seedeaters fed on the tiniest of seeds throughout the ground,



*Violet Sabrewing*

complemented by nearby Variable Seedeaters. Giant Cowbirds flew over our heads during this exciting birding commotion.

We hiked along the wild and seldom-traveled roads once inside the resort. An immature King Vulture was savored as it flew right over our heads! Wedge-billed Woodcreepers and Streak-headed Woodcreepers fed among the tree trunks. An exceptionally cooperative Black-cheeked Woodpecker put on a show for us as it fed nearby. The midday sun was getting toasty, and we headed to the main hummingbird feeding station where we cooled ourselves in the presence of a shaded shelter and gazed at dozens of hummingbird feeders that surrounded us. The small Stripe-throated Hermit visited the feeders sparingly, as did the large and vibrant Green-breasted Mango. Scaly-breasted Hummingbirds showed off their scalloped feathers of dusky-gray as the large Violet Sabrewings tried to steal the show. The hummingbird extravaganza here was spectacular. We tallied ten hummingbird species from this shaded afternoon break!



*Altamira Oriole starting a nest*

Our next day was the trek of looking for Honduras' one endemic bird species, the Honduran Emerald. Due to the vast mountain expanses south and east of the Lodge at Pico Bonito, our shortest route to the Aguan Valley was a three-hour commute. While en route we made several stops that included a delicious breakfast on-the-go topped with locally-grown fruit. A high-soaring Hook-billed Kite was seen, as were Roadside Hawks. A pair of Double-striped Thick-knees, a very uncommon sight, was seen among a pasture where cattle grazed. As the landscape blended away from rainforest and more into arid brushland, we found a

gorgeous Altamira Oriole building a nest. We witnessed this bird assembling the first few strands of grass for its pendulate nest to be. One of the ponds we visited was home to Painted Buntings and Blue-black Grassquits along the perimeter!

Within minutes of arriving at the Honduran Emerald Reserve, we had spectacular views of this amazing endemic. Not only is the Honduran Emerald unique to Honduras, but it is also endangered due to habitat elimination for human uses. The views of this breathtaking species continued for at least 15 minutes. The Honduran Emeralds delighted our eyes as they provided both great looks in the binoculars and even grander looks through the scopes. After much enjoyment of this species we found a nesting White-lored Gnatcatcher, another specialty of this arid environment. On our hike we admired the sun-scorched vegetation and the array of cacti. A cautious Lesser Roadrunner was seen running along a brush line. Their mournful "yodeling" calls are bizarrely unique. We picked up amazing views of a Black-and-white Owl on the drive back to the lodge.



*Honduran Emerald*




The upcoming day held for a unique adventure, even by Honduran birding experiences. We took an old banana train to Cuero y Salado Wildlife Refuge. Little Blue Herons fed among the marshes and Roadside Hawks patrolled the skies as the train pushed forth. Families of Groove-billed Anis scurried throughout the bushes. An extra special moment was finding a very obliging perched Bat Falcon. After the fun ride to the boat launch, we enjoyed a fun morning of birding by boat. Howler Monkeys roared through the tree tops. One even came down to have a drink of water, right in front of our boat! With a little persistence we found a Sungrebe paddling around. Green Herons kept a close eye on the water's surface while Northern Jacanas carefully waltzed across massive lily pads. Several Bare-throated Tiger-Herons perched proudly among the tallest barren branches. Spotting a Northern Potoo was icing on the cake. One Lesser Yellow-headed Vulture was picked out of a group of Turkey Vultures. After a fun morning of birding by train and by boat, we savored a delicious lunch at the lodge, followed by a solid afternoon of on-site birding within minutes of cabins.



*Banana Train*

The next morning we enjoyed yet another amazing on-site breakfast as a whirlwind of tropical birds fed just beyond our reach. Tiny Olive-backed Euphonias gobbled down berries at amazing rates. It was the day for the loop trail. An exciting hike was in store. We had our optics and bottled water ready to go for several miles of hiking throughout the steep hillsides of lush green life. A Tody Motmot stole the show from the start as it called proudly along a branch deep in the shadows. White-breasted Wood-Wrens chatted in the thickets. Wintering American Redstarts flitted energetically among the branches as a Red-crowned Ant-Tanager fed at eye level. A Cocoa Woodcreeper zig-zagged its way up a tree trunk. There is SO MUCH LIFE that resides throughout the property of the Lodge at Pico Bonito! The morning hike worked up an appetite for another fantastic lunch to come.



*Rainforest*

Our last day of birding came all too soon. We started out by driving to the Lancetilla Botanical Gardens where trails meandered through large forests, with lively rivers that fed the woods. The tiny Olivaceous Piculet, a petite member of the woodpeckers, made a chattering appearance for our group. A snappy lek of White-collared Manakins was observed, as was a Black-striped Sparrow. High in the trees sat a delicately-plumaged Blue Ground-Dove. Despite intermittent rains throughout the

morning hours, we had stellar views of a Rufous-tailed Jacamar, showing off the vibrant greens and reds that accompanied this tiny bird's lengthy bill.

Our entire experience in Honduras was a thrill. Every day had its charm, and the people we connected with were inviting and happy to make us feel at home. It's an understatement to say birding from The Lodge at Pico Bonito is amazing!

Lodge at Pico Bonito	LPB
Rio Santiago Nature Resort	RS
Cuero y Salado	CS
Credia Park	CP
Aguan Valley	AV
Lancetilla Botanical Gardens	LBG

COMMON NAME	SCIENTIFIC NAME	
<b>Tinamous</b>	<b>Tinamidae</b>	
Great Tinamou	<i>Tinamus major</i>	LBG
Little Tinamou	<i>Crypturellus soui</i>	LPB
Slaty-breasted Tinamou	<i>Crypturellus boucardi</i>	LPB
<b>Guans, Chachalacas &amp; Curassows</b>	<b>Cracidae</b>	
Plain Chachalaca	<i>Ortalis vetula</i>	RS, LBG
<b>New World Quail</b>	<b>Odontophoridae</b>	
Spot-bellied Bobwhite	<i>Colinus leucopogon</i>	AV
<b>Grebes</b>	<b>Podicipedidae</b>	
<b>Pigeons and Doves</b>	<b>Columbidae</b>	
Rock Pigeon (I)	<i>Columba livia</i>	CP, CS, LBG
Pale-vented Pigeon	<i>Patagioenas cayennensis</i>	CP, CS, LBG
Red-billed Pigeon	<i>Patagioenas flavirostris</i>	Seen every day, many at LPB
Inca Dove	<i>Columbina inca</i>	RS, AV, CS
Common Ground-Dove	<i>Columbina passerina</i>	AV
Ruddy Ground-Dove	<i>Columbina talpacoti</i>	AV, CS
Blue Ground-Dove	<i>Claravis pretiosa</i>	LPB, LBG
White-tipped Dove	<i>Leptotila verreauxi</i>	AV
Gray-chested Dove	<i>Leptotila cassinii</i>	RS, LPB,
White-winged Dove	<i>Zenaida asiatica</i>	LPB, CP, LBG
<b>Cuckoos</b>	<b>Cuculidae</b>	
Squirrel Cuckoo	<i>Piaya cayana</i>	CS, LPB
Lesser Roadrunner	<i>Geococcyx velox</i>	AV
Groove-billed Ani	<i>Crotophaga sulcirostris</i>	RS, AV, CS, LPB
<b>Nightjars</b>	<b>Caprimulgidae</b>	
Lesser Nighthawk	<i>Chordeiles acutipennis</i>	CS, LPB
Common Pauraque	<i>Nyctidromus albicollis</i>	LPB
<b>Potoos</b>	<b>Nyctibiidae</b>	
Great Potoo	<i>Nyctibius grandis</i>	RS, LPB,
Northern Potoo	<i>Nyctibius jamaicensis</i>	CS
<b>Swifts</b>	<b>Apodidae</b>	
White-collared Swift	<i>Streptoprocne zonaris</i>	LPB, CP, CS,
Vaux's Swift	<i>Chaetura vauxi</i>	LPB
<b>Hummingbirds</b>	<b>Trochilidae</b>	

White-necked Jacobin	<i>Florisuga mellivora</i>	LPB, RS, LBG
Long-billed Hermit	<i>Phaethornis longirostris</i>	LBP, RS, LBG
Stripe-throated Hermit	<i>Phaethornis striigularis</i>	RS
Purple-crowned Fairy	<i>Heliothryx barroti</i>	LPB
Green-breasted Mango	<i>Anthracothorax prevostii</i>	RS
Violet-headed Hummingbird	<i>Klais guimeti</i>	LPB
Scaly-breasted Hummingbird	<i>Phaeochroa cuvierii</i>	RS
Violet Sabrewing	<i>Campylopterus hemileucurus</i>	LPB, RS
Stripe-tailed Hummingbird	<i>Eupherusa eximia</i>	RS
Crowned Woodnymph	<i>Thalurania colombica</i>	LPB, RS, LBG
White-bellied Emerald	<i>Amazilia candida</i>	RS
Honduran Emerald (E)	<i>Amazilia luciae</i>	AV
Rufous-tailed Hummingbird	<i>Amazilia tzacatl</i>	LPB, RS, CS
Cinnamon Hummingbird	<i>Amazilia rutila</i>	AV
<b>Sungrebe</b>	<b>Heliornithidae</b>	
Sungrebe	<i>Heliornis fulica</i>	CS
<b>Thick-knees</b>	<b>Burhinidae</b>	
Double-striped Thick-knee	<i>Burhinus bistriatus</i>	AV
<b>Jacanas</b>	<b>Jacanidae</b>	
Northern Jacana	<i>Jacana spinosa</i>	CS, on a pond while commuting to AV
<b>Sandpipers and Allies</b>	<b>Scolopacidae</b>	
Spotted Sandpiper	<i>Actitis macularius</i>	CS
Solitary Sandpiper	<i>Tringa solitaria</i>	CS
<b>Gulls, Terns and Skimmers</b>	<b>Laridae</b>	
Royal Tern	<i>Thalasseus maximus</i>	La Ceiba
<b>Storks</b>	<b>Ciconiidae</b>	
Wood Stork	<i>Mycteria americana</i>	La Ceiba, CS
<b>Cormorants</b>	<b>Phalacrocoracidae</b>	
Neotropic Cormorant	<i>Phalacrocorax brasilianus</i>	CS
<b>Anhinga</b>	<b>Anhingidae</b>	
Anhinga	<i>Anhinga anhinga</i>	CS
<b>Herons, Egrets and Bitterns</b>	<b>Ardeidae</b>	
Bare-throated Tiger-Heron	<i>Tigrisoma mexicanum</i>	CS
Great Egret	<i>Ardea alba</i>	RS, CS, LBG
Snowy Egret	<i>Egretta thula</i>	LBG
Little Blue Heron	<i>Egretta caerulea</i>	CS
Cattle Egret	<i>Bubulcus ibis</i>	RS, CS, LBG
Green Heron	<i>Butorides virescens</i>	RS, CS
Yellow-crowned Night-Heron	<i>Nyctanassa violacea</i>	CS
<b>New World Vultures</b>	<b>Cathartidae</b>	
Black Vulture	<i>Coragyps atratus</i>	LPB, RS, AV, CS
Turkey Vulture	<i>Cathartes aura</i>	Seen every day
Lesser Yellow-headed Vulture	<i>Cathartes burrovianus</i>	CS
King Vulture	<i>Sarcoramphus papa</i>	RS
<b>Osprey</b>	<b>Pandionidae</b>	
Osprey	<i>Pandion haliaetus</i>	La Ceiba
<b>Hawks, Eagles and Kites</b>	<b>Accipitridae</b>	
Hook-billed Kite	<i>Chondrohierax uncinatus</i>	Commute to AV
White-tailed Kite	<i>Elanus leucurus</i>	CP, CS
Common Black Hawk	<i>Buteogallus anthracinus</i>	CS
Great Black Hawk	<i>Buteogallus urubitinga</i>	CS
Roadside Hawk	<i>Rupornis magnirostris</i>	CS, commute to AV

Gray Hawk	<i>Buteo plagiatus</i>	LPB
Short-tailed Hawk	<i>Buteo brachyurus</i>	Commute to AV
<b>Owls</b>	<b>Strigidae</b>	
Vermiculated Screech-Owl	<i>Megascops guatemalae</i>	LPB
Ferruginous Pygmy-Owl	<i>Glaucidium brasilianum</i>	LPB, RS
Mottled Owl	<i>Ciccaba virgata</i>	LPB night hike
Black-and-white Owl	<i>Ciccaba nigrolineata</i>	La Ceiba
<b>Trogon</b>	<b>Trogonidae</b>	
Slaty-tailed Trogon	<i>Trogon massena</i>	LPB, RS
Black-headed Trogon	<i>Trogon melanocephalus</i>	LPB, LBG
Gartered Trogon	<i>Trogon caligatus</i>	LPB, LBG
Black-throated Trogon	<i>Trogon rufus</i>	LPB
<b>Motmots</b>	<b>Momotidae</b>	
Tody Motmot	<i>Hylomanes momotula</i>	LPB
Lesson's Motmot	<i>Momotus lessoni</i>	Seen/heard every day at LPB!
Turquoise-browed Motmot	<i>Eumomota superciliosa</i>	LPB, RS
		LPB... A rare bird, heard daily, with outstanding looks one afternoon!
Broad-billed Motmot	<i>Electron platyrhynchum</i>	
<b>Kingfishers</b>	<b>Alcedinidae</b>	
Ringed Kingfisher	<i>Megaceryle torquata</i>	CS
Belted Kingfisher	<i>Megaceryle alcyon</i>	CS
Amazon Kingfisher	<i>Chloroceryle amazona</i>	RS
Green Kingfisher	<i>Chloroceryle americana</i>	RS, CS
<b>Puffbirds</b>	<b>Bucconidae</b>	
White-necked Puffbird	<i>Notharchus hyperrhynchus</i>	LPB
<b>Jacamars</b>	<b>Galbulidae</b>	
Rufous-tailed Jacamar	<i>Galbula ruficauda</i>	LBG
<b>Toucans</b>	<b>Ramphastidae</b>	
Collared Aracari	<i>Pteroglossus torquatus</i>	LPB, CS
Keel-billed Toucan	<i>Ramphastos sulfuratus</i>	LPB, RS
<b>Woodpeckers</b>	<b>Picidae</b>	
Olivaceous Piculet	<i>Picumnus olivaceus</i>	LBG
Black-checked Woodpecker	<i>Melanerpes pucherani</i>	LPB, RS
Golden-fronted Woodpecker	<i>Melanerpes aurifrons</i>	Seen every day
Chestnut-colored Woodpecker	<i>Celeus castaneus</i>	LPB, RS. Local pair showed great views at LPB!
Lineated Woodpecker	<i>Dryocopus lineatus</i>	Commute to AV
Pale-billed Woodpecker	<i>Campephilus guatemalensis</i>	CS
<b>Falcons and Caracaras</b>	<b>Falconidae</b>	
Crested Caracara	<i>Caracara cheriway</i>	RS, AV, CS
American Kestrel	<i>Falco sparverius</i>	AV
Bat Falcon	<i>Falco ruficularis</i>	CS, LBG
<b>African &amp; New World Parrots</b>	<b>Psittacidae</b>	
Olive-throated Parakeet	<i>Eupsittula nana</i>	LPB, RS, AC, LBG
Brown-hooded Parrot	<i>Pyrilia haematotis</i>	LPB
White-crowned Parrot	<i>Pionus senilis</i>	LPB, RS
White-fronted Parrot	<i>Amazona albifrons</i>	AV
Red-lored Parrot	<i>Amazona autumnalis</i>	CS, LBG
<b>Typical Antbirds</b>	<b>Thamnophilidae</b>	
Great Antshrike	<i>Taraba major</i>	LBPB, LBG
Dusky Antbird	<i>Cercomacroides tyrannina</i>	LBG
<b>Ovenbirds and Woodcreepers</b>	<b>Furnariidae</b>	
Tawny-winged Woodcreeper	<i>Dendrocincla anabatina</i>	LPB
Wedge-billed Woodcreeper	<i>Glyphorhynchus spirurus</i>	RS, LPB

Cocoa Woodcreeper	<i>Xiphorhynchus susurrans</i>	LPB
Ivory-billed Woodcreeper	<i>Xiphorhynchus flavigaster</i>	LPB
Streak-headed Woodcreeper	<i>Lepidocolaptes souleyetii</i>	RS
Plain Xenops	<i>Xenops minutus</i>	LPB
Buff-throated Foliage-gleaner	<i>Automolus ochrolaemus</i>	LPB
<b>Tyrant Flycatchers</b>	<b>Tyrannidae</b>	
Yellow-bellied Tyrannulet	<i>Ornithion semiflavum</i>	RS
Northern Beardless-Tyrannulet	<i>Camptostoma imberbe</i>	CS
Greenish Elaenia	<i>Myiopagis viridicata</i>	LBG
Ochre-bellied Flycatcher	<i>Mionectes oleagineus</i>	LPB
Common Tody-Flycatcher	<i>Todirostrum cinereum</i>	RS
Yellow-olive Flycatcher	<i>Tolmomyias sulphurescens</i>	RS, LPB
Black Phoebe	<i>Sayornis nigricans</i>	RS
Bright-rumped Attila	<i>Attila spadiceus</i>	LPB
Rufous Mourner	<i>Rhytipterna holerythra</i>	LPB
Dusky-capped Flycatcher	<i>Myiarchus tuberculifer</i>	LPB, RS, LBG
Great Crested Flycatcher	<i>Myiarchus crinitus</i>	LPB, RS, CS, LBG
		Pair nesting close to LPB restaurant. Seen/heard every day
Great Kiskadee	<i>Pitangus sulphuratus</i>	
Boat-billed Flycatcher	<i>Megarynchus pitangua</i>	LPB
Social Flycatcher	<i>Myiozetetes similis</i>	LPB
Tropical Kingbird	<i>Tyrannus melancholicus</i>	RS, CP, CS, LBG
Fork-tailed Flycatcher	<i>Tyrannus savana</i>	Commute to AV
<b>Becards, Tityras &amp; Allies</b>	<b>Tityridae</b>	
Rose-throated Becard	<i>Pachyrhamphus aglaiae</i>	RS
Masked Tityra	<i>Tityra semifasciata</i>	LPB, RS
Black-crowned Tityra	<i>Tityra inquisitor</i>	LPB
<b>Cotingas</b>	<b>Cotingidae</b>	
Lovely Cotinga	<i>Cotinga amabilis</i>	LPB
<b>Manakins</b>	<b>Pipridae</b>	
White-collared Manakin	<i>Manacus candei</i>	LPB
Red-capped Manakin	<i>Ceratopipra mentalis</i>	LPB, LBG
<b>Vireos</b>	<b>Vireonidae</b>	
Green Shrike-Vireo	<i>Vireolanius pulchellus</i>	LPB
Lesser Greenlet	<i>Pachyslyvia decurtatus</i>	LPB
White-eyed Vireo	<i>Vireo griseus</i>	CS
Yellow-throated Vireo	<i>Vireo flavifrons</i>	LBG
Philadelphia Vireo	<i>Vireo philadelphicus</i>	LPB
Red-eyed Vireo	<i>Vireo olivaceus</i>	LPB
<b>Crows, Jays and Magpies</b>	<b>Corvidae</b>	
Brown Jay	<i>Psilorhinus morio</i>	LPB, RS
<b>Swallows</b>	<b>Hirundinidae</b>	
Gray-breasted Martin	<i>Progne chalybea</i>	Commute to AV, LPB
Mangrove Swallow	<i>Tachycineta albilinea</i>	Commute to AV
Barn Swallow	<i>Hirundo rustica</i>	CS
<b>Wrens</b>	<b>Troglodytidae</b>	
House Wren	<i>Troglodytes aedon</i>	RS, CP
Spot-breasted Wren	<i>Pheugopedius maculipectus</i>	AV
White-bellied Wren	<i>Urosila leucogastra</i>	LPB
White-breasted Wood-Wren	<i>Henicorhina leucosticta</i>	LPB, RS
<b>Gnatcatchers</b>	<b>Poliophtilidae</b>	
Long-billed Gnatwren	<i>Ramphocaenus melanurus</i>	RS, LPB
White-lored Gnatcatcher	<i>Poliophtila albiloris</i>	AV



Tropical Gnatcatcher	<i>Poliophtila plumbea</i>	LPB, LBG
<b>Thrushes and Allies</b>	<b>Turdidae</b>	
Wood Thrush	<i>Hylocichla mustelina</i>	LPB, RS, LBG, fairly common winter resident
Clay-colored Thrush	<i>Turdus grayi</i>	Seen every day at LPB
<b>Mockingbirds and Thrashers</b>	<b>Mimidae</b>	
Gray Catbird	<i>Dumetella carolinensis</i>	LPB, RS, CS, LBG
Tropical Mockingbird	<i>Mimus gilvus</i>	AV
<b>Old World Sparrows</b>	<b>Passeridae</b>	
House Sparrow (I)	<i>Passer domesticus</i>	Commute to AV
<b>Siskins, Crossbills and Allies</b>	<b>Fringillidae</b>	
Scrub Euphonia	<i>Euphonia affinis</i>	LPB, RS
Olive-backed Euphonia	<i>Euphonia gouldi</i>	LPB, RS, CS, LBG
White-vented Euphonia	<i>Euphonia minuta</i>	LPB, RS, CS
<b>New World Sparrows</b>	<b>Passerellidae</b>	
Black-striped Sparrow	<i>Arremonops conirostris</i>	LBG
<b>Troupials and Allies</b>	<b>Icteridae</b>	
Eastern Meadowlark	<i>Sturnella magna</i>	Commute to AV
Chestnut-headed Oropendola	<i>Psarocolius wagleri</i>	LPB, RS
Montezuma Oropendola	<i>Psarocolius montezuma</i>	LPB, RS, CS, LBG
Black-cowled Oriole	<i>Icterus prothemelas</i>	LPB
Orchard Oriole	<i>Icterus spurius</i>	Commute to AV, CS, LPB
Altamira Oriole	<i>Icterus gularis</i>	Commute to AV
Baltimore Oriole	<i>Icterus galbula</i>	LPB, RS, commute to AV
Bronzed Cowbird	<i>Molothrus aeneus</i>	RS, commute to AV, LBG
Giant Cowbird	<i>Molothrus oryzivorus</i>	RS, CS
Melodious Blackbird	<i>Dives dives</i>	LPB, RS, commute to AV, LBG
Great-tailed Grackle	<i>Quiscalus mexicanus</i>	RS, AV, CS, LPB
<b>New World Warblers</b>	<b>Parulidae</b>	
Worm-eating Warbler	<i>Helminthos vermivorum</i>	RS, LPB
Northern Waterthrush	<i>Parkesia noveboracensis</i>	CS, LPB, LBG
Blue-winged Warbler	<i>Vermivora cyanoptera</i>	LBG
Black-and-white Warbler	<i>Mniotilta varia</i>	RS, LBG
Prothonotary Warbler	<i>Protonotaria citrea</i>	CS
Tennessee Warbler	<i>Oreothlypis peregrina</i>	RS, LBG
Gray-crowned Yellowthroat	<i>Geothlypis poliocephala</i>	Commute to AV
Kentucky Warbler	<i>Geothlypis formosa</i>	RS, LPB
Hooded Warbler	<i>Setophaga citrina</i>	CS, LBG
American Redstart	<i>Setophaga ruticilla</i>	LPB, RS, LBG
Northern Parula	<i>Setophaga americana</i>	LPB
Magnolia Warbler	<i>Setophaga magnolia</i>	LPB, RS, CS, LBG
Yellow Warbler	<i>Setophaga petechia</i>	LPB, RS, CS, LBG
Chestnut-sided Warbler	<i>Setophaga pensylvanica</i>	LPB, RS, LBG
Yellow-rumped Warbler	<i>Setophaga coronata</i>	Commute to AV
Black-throated Green Warbler	<i>Setophaga virens</i>	LPB
<b>Cardinals and Allies</b>	<b>Cardinalidae</b>	
Summer Tanager	<i>Piranga rubra</i>	LPB, RS, CS, LBG
Red-crowned Ant-Tanager	<i>Habia rubica</i>	LPB
Red-throated Ant-Tanager	<i>Habia fuscicauda</i>	LPB, CS, LBG
Rose-breasted Grosbeak	<i>Pheucticus ludovicianus</i>	CP, LPB
Blue-black Grosbeak	<i>Cyanocompsa cyanooides</i>	LPB
Painted Bunting	<i>Passerina ciris</i>	Commute to AV
Blue Bunting	<i>Cyanocompsa parallina</i>	Commute to AV

<b>Tanagers and Allies</b>	<b>Thraupidae</b>	
Blue-gray Tanager	<i>Thraupis episcopus</i>	LPB, RS, Commute to AV
Yellow-winged Tanager	<i>Thraupis abbas</i>	RS, Commute to CS, LPB, LBG
Golden-hooded Tanager	<i>Tangara larvata</i>	LBG
Green Honeycreeper	<i>Chlorophanes spiza</i>	LPB, RS, CS
Blue-black Grassquit	<i>Volatinia jacarina</i>	Commute to AV
White-shouldered Tanager	<i>Tachyphonus luctuosus</i>	LPB
Black-throated Shrike-Tanager	<i>Lanio aurantius</i>	LBG
Crimson-collared Tanager	<i>Ramphocelus sanguinolentus</i>	LBG
Passerini's Tanager	<i>Ramphocelus passerinii</i>	LBG
Red-legged Honeycreeper	<i>Cyanerpes cyaneus</i>	LPB, RS, CS
Yellow-faced Grassquit	<i>Tiaris olivaceus</i>	LBG
Thick-billed Seed-Finch	<i>Sporophila funerea</i>	LBG
Variable Seedeater	<i>Sporophila corvina</i>	RS
White-collared Seedeater	<i>Sporophila torqueola</i>	RS, commute to AV, LBG
Black-headed Saltator	<i>Saltator atriceps</i>	RS
Buff-throated Saltator	<i>Saltator maximus</i>	RS, LBG
<b>MAMMALS</b>		
<b>Large Monkeys</b>	<b>Atelidae</b>	
Mantled Howler Monkey	<i>Alouatta palliata</i>	CS
<b>Squirrels, Prairie Dogs &amp; Marmots</b>	<b>Sciuridae</b>	
Variiegated Squirrel	<i>Sciurus variegatoides</i>	LPB, RS
<b>Agoutis</b>	<b>Dasyproctidae</b>	
Central American Agouti	<i>Dasyprocta punctata</i>	LPB
<b>Sheath-tailed Bats</b>	<b>Emballonuridae</b>	
Long-nosed (Proboscis) Bat	<i>Rhynchonycteris naso</i>	CS
<b>Weasels</b>	<b>Mustelidae</b>	
Basalisk Lizard	<i>Basiliscus basiliscus</i>	LPB, RS
Norops Lizard	<i>Norops mariarum</i>	LPB
<b>Raccoons</b>	<b>Procyonidae</b>	
Raccoon	<i>Procyon lotor</i>	CS
<b>BUTTERFLIES</b>		
Blue Morpho	<i>Morpho menelaus</i>	LPB
Erato Heliconian	<i>Heliconius erato</i>	LPB
Tiger-winged Heliconian	<i>Heliconius ismenius</i>	LPB
Juno Longwing	<i>Dione juno</i>	LPB
Owl-eyed Butterfly	<i>Caligo eurilochus</i>	LPB
Pink Cattleheart	<i>Parides iphidamus</i>	LPB
Julia Longwing	<i>Dryas iulia</i>	LPB
Orange-winged Cracker		LPB
Green Iguana	<i>Iguana iguana</i>	LPB